



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

MARIES

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:

018517

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

938FT

DRILL DEPTH:

150FT

38N

10W

10

UTM X

UTM Y

DEPTH TO BED:

15FT

586,583.23

4,210,128.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NE OF DIXON, 2 MI E OF SHANTYTOWN

S.W.L. (AFTER CASING):

75

LOG ID:

016987

WELL TYPE

Private Well

DRILL DATE:

1957/09/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,161FT

DRILL DEPTH:

255FT

38N

10W

17

UTM X

UTM Y

DEPTH TO BED:

583,207.24

4,208,967.98

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

N OF DIXON, S OF SUBSTATION

S.W.L. (AFTER CASING):

177

LOG ID:

018518

WELL TYPE

Private Well

DRILL DATE:

1959/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,172FT

DRILL DEPTH:

290FT

38N

10W

17

UTM X

UTM Y

DEPTH TO BED:

5FT

583,307.25

4,208,460.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON HWY 28, 1 MI S OF S. TOWN

S.W.L. (AFTER CASING):

210

LOG ID:

009870

WELL TYPE

Private Well

DRILL DATE:

1947/01/09

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,123FT

DRILL DEPTH:

72FT

38N

10W

18

UTM X

UTM Y

DEPTH TO BED:

20FT

582,622.25

4,208,192.95

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

4 MI NE OF DIXON ON HWY 28

S.W.L. (AFTER CASING):

30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015076

WELL TYPE
Private Well

DRILL DATE: 1956/05/01 TOWNSHIP 38N RANGE 10W SECTION 18 ELEVATION: 1,059FT
DRILL DEPTH: 160FT UTM X 581,622.24 UTM Y 4,208,778.96
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 65

LOG ID:
013302

WELL TYPE
Private Well

DRILL DATE: 1955/01/01 TOWNSHIP 38N RANGE 10W SECTION 5 ELEVATION: 1,121FT
DRILL DEPTH: 270FT UTM X 583,983.21 UTM Y 4,210,968.03
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: E SIDE OF HWY 28, 6 MI N OF DIXON
S.W.L. (AFTER CASING): 145

LOG ID:
016869

WELL TYPE
Private Well

DRILL DATE: 1957/11/01 TOWNSHIP 38N RANGE 10W SECTION 7 ELEVATION:
DRILL DEPTH: 215FT UTM X 581,611.23 UTM Y 4,209,411.98
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: N OF DIXON, 1 MI W OF SUBSTATION ON HWY 28
S.W.L. (AFTER CASING): 125

LOG ID:
012270

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1953/01/10 TOWNSHIP 38N RANGE 10W SECTION 8 ELEVATION: 1,158FT
DRILL DEPTH: 285FT UTM X 583,184.24 UTM Y 4,209,157.98
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI NE OF DIXON ON HWY 28
S.W.L. (AFTER CASING): 175



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016040**WELL TYPE

Private Well

DRILL DATE: 1957/04/01TOWNSHIPRANGESECTIONELEVATION:

1,121FT

DRILL DEPTH: 255FT

38N

10W

8

DEPTH TO BED: 15FTUTM XUTM Y

583,584.23

4,209,561.99

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 119**LOG ID:****015309**WELL TYPE

Private Well

DRILL DATE: 1956/06/01TOWNSHIPRANGESECTIONELEVATION:

1,115FT

DRILL DEPTH: 160FT

38N

11W

12

DEPTH TO BED: 15FTUTM XUTM Y

580,625.23

4,209,454.97

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105**LOG ID:****016043**WELL TYPE

Private Well

DRILL DATE: 1957/03/01TOWNSHIPRANGESECTIONELEVATION:

1,130FT

DRILL DEPTH: 260FT

38N

11W

14

DEPTH TO BED: 20FTUTM XUTM Y

578,417.23

4,208,743.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****014506**WELL TYPE

Private Well

DRILL DATE: 1956/03/01TOWNSHIPRANGESECTIONELEVATION:

1,167FT

DRILL DEPTH: 230FT

38N

11W

15

DEPTH TO BED: 25FTUTM XUTM Y

577,811.24

4,207,996.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 134



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018063**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,200FT

DRILL DEPTH:

340FT

38N

11W

15

DEPTH TO BED:

15FT

UTM XUTM Y

577,411.24

4,208,400.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

170

LOG ID:**018070**WELL TYPE

Private Well

DRILL DATE:

1958/11/07

TOWNSHIPRANGESECTIONELEVATION:

1,194FT

DRILL DEPTH:

330FT

38N

11W

15

DEPTH TO BED:

15FT

UTM XUTM Y

577,411.24

4,208,400.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: JCT HWYS 133 & BB NW OF DIXONS.W.L. (AFTER CASING):

150

LOG ID:**015458**WELL TYPE

Private Well

DRILL DATE:

1956/09/01

TOWNSHIPRANGESECTIONELEVATION:

1,158FT

DRILL DEPTH:

180FT

38N

11W

16

DEPTH TO BED:

20FT

UTM XUTM Y

576,204.24

4,207,847.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: N OF DIXONS.W.L. (AFTER CASING):

60

LOG ID:**023048**WELL TYPE

Private Well

DRILL DATE:

1964/09/28

TOWNSHIPRANGESECTIONELEVATION:

1,132FT

DRILL DEPTH:

110FT

38N

11W

16

DEPTH TO BED:

5FT

UTM XUTM Y

575,004.23

4,208,661.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI W OF DIXONS.W.L. (AFTER CASING):

44



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015852**WELL TYPE

Private Well

DRILL DATE: 1957/01/01 TOWNSHIP 38N RANGE 11W SECTION 18 ELEVATION: 1,014FT
DRILL DEPTH: 170FT UTM X 572,010.21 UTM Y 4,208,940.91
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 45

LOG ID:**016879**WELL TYPE

Private Well

DRILL DATE: 1957/11/01 TOWNSHIP 38N RANGE 11W SECTION 2 ELEVATION: 1,182FT
DRILL DEPTH: 300FT UTM X 579,406.19 UTM Y 4,211,736.02
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NW OF DIXON
S.W.L. (AFTER CASING): 190

LOG ID:**022160**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 38N RANGE 11W SECTION 5 ELEVATION: 1,115FT
DRILL DEPTH: 280FT UTM X 574,064.18 UTM Y 4,212,065.98
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**022644**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 38N RANGE 11W SECTION 5 ELEVATION: 1,108FT
DRILL DEPTH: 140FT UTM X 574,164.18 UTM Y 4,211,962.98
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005160

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
		38N	11W	7		
<u>DRILL DEPTH:</u>	78FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				572,824.20	4,209,778.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4 MI W OF DIXON			
<u>S.W.L. (AFTER CASING):</u>	16					

LOG ID:
014136

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1955/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,152FT
		38N	11W	8		
<u>DRILL DEPTH:</u>	255FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				574,592.20	4,210,128.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:
003424

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1935/07/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
		39N	7W	12		
<u>DRILL DEPTH:</u>	202FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					619,913.02	4,220,150.63
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SINK STRUCTURE TO TD, BOTH PENN AND ORD RESIDIUM			
<u>S.W.L. (AFTER CASING):</u>	202					

LOG ID:
026650

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1970/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	910FT
		39N	7W	13		
<u>DRILL DEPTH:</u>	225FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				619,695.05	4,217,895.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020917**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/04/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	988FT
<u>DRILL DEPTH:</u>	185FT	39N	7W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				618,295.05	4,218,532.56
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	105	<u>REMARKS:</u>	SAFE			

LOG ID:**024054**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/01/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	972FT
<u>DRILL DEPTH:</u>	190FT	39N	7W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				617,495.05	4,218,736.57
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90	<u>REMARKS:</u>	2 MI N OF SAFE, LEFT 0.75 MI			

LOG ID:**024680**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	984FT
<u>DRILL DEPTH:</u>	200FT	39N	7W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				618,295.05	4,218,736.57
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120	<u>REMARKS:</u>				

LOG ID:**026900**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	968FT
<u>DRILL DEPTH:</u>	240FT	39N	7W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				617,695.05	4,218,736.57
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024657**WELL TYPE

Private Well

DRILL DATE: 1966/07/01TOWNSHIP RANGE SECTION

39N

7W

15

ELEVATION: 1,055FTDRILL DEPTH: 220FTUTM XUTM YDEPTH TO BED: 40FT

615,275.07

4,218,568.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI N OF ST. JAMES ON HWY 68, NE OF BROADWAY CHURCHS.W.L. (AFTER CASING):**LOG ID:****024891**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

39N

7W

17

ELEVATION: 972FTDRILL DEPTH: 95FTUTM XUTM YDEPTH TO BED: 15FT

613,334.09

4,217,883.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****027905**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

39N

7W

17

ELEVATION: 961FTDRILL DEPTH: 180FTUTM XUTM YDEPTH TO BED: 45FT

612,434.08

4,218,604.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****027937**WELL TYPE

Private Well

DRILL DATE: 1975/10/22TOWNSHIP RANGE SECTION

39N

7W

17

ELEVATION: 960FTDRILL DEPTH: 210FTUTM XUTM YDEPTH TO BED: 35FT

613,234.08

4,218,398.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023420**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,014FT

DRILL DEPTH:

235FT

39N

7W

22

DEPTH TO BED:

25FT

UTM XUTM Y

616,685.09

4,216,745.49

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

7.5 MI N OF ST JAMES ON HWY 68

S.W.L. (AFTER CASING):

115

LOG ID:**027575**WELL TYPE

Private Well

DRILL DATE:

1970/06/17

TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH:

220FT

39N

7W

22

DEPTH TO BED:

40FT

UTM XUTM Y

615,485.11

4,215,927.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

220

LOG ID:**005327**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1939/03/27

TOWNSHIPRANGESECTIONELEVATION:

929FT

DRILL DEPTH:

154FT

39N

7W

23

DEPTH TO BED:

10FT

UTM XUTM Y

618,100.10

4,215,707.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

15

LOG ID:**016041**WELL TYPE

Private Well

DRILL DATE:

1957/03/01

TOWNSHIPRANGESECTIONELEVATION:

968FT

DRILL DEPTH:

105FT

39N

7W

27

DEPTH TO BED:

5FT

UTM XUTM Y

616,087.13

4,214,112.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

DO NOT USE FOR CORRELATIONS - SCRAMBLED SAMPLES??

S.W.L. (AFTER CASING):

14



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020662**WELL TYPE

Private Well

DRILL DATE: 1962/00/00TOWNSHIPRANGESECTIONELEVATION:

1,008FT

DRILL DEPTH: 300FT

39N

7W

3

DEPTH TO BED: 35FTUTM XUTM Y

616,474.98

4,223,557.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021305**WELL TYPE

Private Well

DRILL DATE: 1962/00/00TOWNSHIPRANGESECTIONELEVATION:

947FT

DRILL DEPTH: 225FT

39N

7W

3

DEPTH TO BED: 30FTUTM XUTM Y

616,075.00

4,222,723.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: HIGH GATE; LONG SECTION (1 X 2 MI)S.W.L. (AFTER CASING): 169**LOG ID:****025001**WELL TYPE

Private Well

DRILL DATE: 1966/10/24TOWNSHIPRANGESECTIONELEVATION:

960FT

DRILL DEPTH: 200FT

39N

7W

3

DEPTH TO BED: 15FTUTM XUTM Y

616,075.02

4,221,057.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR BROADWAY CHURCH; LONG SECTION (1 X 2 MI)S.W.L. (AFTER CASING):**LOG ID:****014505**WELL TYPE

Private Well

DRILL DATE: 1956/03/01TOWNSHIPRANGESECTIONELEVATION:

1,098FT

DRILL DEPTH: 320FT

39N

7W

30

DEPTH TO BED:UTM XUTM Y

610,315.16

4,214,615.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 165



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014575**WELL TYPE

Private Well

DRILL DATE: 1956/02/01TOWNSHIPRANGESECTIONELEVATION:

1,007FT

DRILL DEPTH: 130FT

39N

7W

30

DEPTH TO BED: 20FTUTM XUTM Y

611,615.15

4,214,487.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 45**LOG ID:****027730**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,061FT

DRILL DEPTH: 260FT

39N

7W

30

DEPTH TO BED: 40FTUTM XUTM Y

610,815.16

4,214,233.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO FORMATIONS OR SAMPLES RUN, JUST TOP AND TDS.W.L. (AFTER CASING):**LOG ID:****023854**WELL TYPE

Private Well

DRILL DATE: 1964/12/01TOWNSHIPRANGESECTIONELEVATION:

1,042FT

DRILL DEPTH: 230FT

39N

7W

31

DEPTH TO BED: 20FTUTM XUTM Y

611,618.17

4,213,132.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SECTION 3.25 MI WIDES.W.L. (AFTER CASING): 138**LOG ID:****005755**WELL TYPE

Private Well

DRILL DATE: 1939/06/01TOWNSHIPRANGESECTIONELEVATION:

1,075FT

DRILL DEPTH: 150FT

39N

7W

32

DEPTH TO BED:UTM XUTM Y

613,347.17

4,213,046.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007292

WELL TYPE
Private Well

DRILL DATE: 1941/10/14 TOWNSHIP 39N RANGE 7W SECTION 34 ELEVATION: 995FT
DRILL DEPTH: 135FT UTM X 616,674.16 UTM Y 4,212,490.34
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: N OF ST. JAMES TO CO LINE, 1 MI W ON CO LINE
S.W.L. (AFTER CASING): 34

LOG ID:
009501

WELL TYPE
Private Well

DRILL DATE: 1946/09/01 TOWNSHIP 39N RANGE 7W SECTION 6 ELEVATION: 1,115FT
DRILL DEPTH: 235FT UTM X 610,985.03 UTM Y 4,221,872.67
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG SECTION (1 X 2 MI); N OF VICHY
S.W.L. (AFTER CASING): 130

LOG ID:
007909

WELL TYPE
Private Well

DRILL DATE: 1942/08/20 TOWNSHIP 39N RANGE 8W SECTION 1 ELEVATION: 1,110FT
DRILL DEPTH: 350FT UTM X 609,160.02 UTM Y 4,223,127.71
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 58

LOG ID:
000492

WELL TYPE
Private Well

DRILL DATE: 1913/10/15 TOWNSHIP 39N RANGE 8W SECTION 12 ELEVATION: 1,083FT
DRILL DEPTH: 50FT UTM X 608,861.08 UTM Y 4,219,264.56
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: VICHY - ONE SAMPLE
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007716

WELL TYPE
Private Well

DRILL DATE: 1942/02/01 TOWNSHIP 39N RANGE 8W SECTION 12 ELEVATION: 1,095FT
DRILL DEPTH: 120FT UTM X 608,561.09 UTM Y 4,218,960.54
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: YIELD - 40 G/HOUR
S.W.L. (AFTER CASING):

LOG ID:
007733

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1942/03/01 TOWNSHIP 39N RANGE 8W SECTION 12 ELEVATION: 1,154FT
DRILL DEPTH: 161FT UTM X 608,361.08 UTM Y 4,219,568.56
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: BARNSDALL SERVICE STATION, JCT HWYS 63 & 68, 0.5 MI N OF
S.W.L. (AFTER CASING): 96 VICHY

LOG ID:
007777

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1942/05/27 TOWNSHIP 39N RANGE 8W SECTION 12 ELEVATION: 972FT
DRILL DEPTH: 181FT UTM X 608,361.09 UTM Y 4,218,960.54
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ROCK QUARRY AT VICHY
S.W.L. (AFTER CASING): 45

LOG ID:
001662

WELL TYPE
Private Well

DRILL DATE: 1912/07/01 TOWNSHIP 39N RANGE 8W SECTION 13 ELEVATION: 1,116FT
DRILL DEPTH: 82FT UTM X 608,774.10 UTM Y 4,218,577.53
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: VICHY
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009628

WELL TYPE
Private Well

DRILL DATE: 1946/09/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,081FT

DRILL DEPTH: 227FT

39N 8W 13

DEPTH TO BED: 50FT

UTM X UTM Y
608,874.10 4,218,475.53
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IN VICHY

S.W.L. (AFTER CASING):

LOG ID:
018921

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 1,094FT

DRILL DEPTH: 290FT

39N 8W 13

DEPTH TO BED: 15FT

UTM X UTM Y
608,574.10 4,218,373.52
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: S END OF VICHY ON E SIDE OF HWY 63

S.W.L. (AFTER CASING): 128

LOG ID:
020994

WELL TYPE
Private Well

DRILL DATE: 1962/05/12

TOWNSHIP RANGE SECTION

ELEVATION: 1,080FT

DRILL DEPTH: 170FT

39N 8W 13

DEPTH TO BED: 10FT

UTM X UTM Y
608,974.10 4,218,169.52
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: S EDGE OF VICHY ON HWY 63

S.W.L. (AFTER CASING): 35

LOG ID:
013752

WELL TYPE
Private Well

DRILL DATE: 1955/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 953FT

DRILL DEPTH: 255FT

39N 8W 19

DEPTH TO BED: 5FT

UTM X UTM Y
600,778.13 4,216,586.36
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 168



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025198

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/04/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	905FT
<u>DRILL DEPTH:</u>	200FT	39N	8W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				601,378.13	4,216,214.36
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	175	<u>REMARKS:</u>	2 OR 3 MI N OF HWY OO ON HWY O			

LOG ID:
006008

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/05/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,120FT
<u>DRILL DEPTH:</u>	275FT	39N	8W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				607,524.02	4,223,114.68
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	180	<u>REMARKS:</u>	LONG SECTION (1 X 2 MI)			

LOG ID:
007677

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1942/03/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,133FT
<u>DRILL DEPTH:</u>	850FT	39N	8W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				607,324.03	4,222,262.65
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	234	<u>REMARKS:</u>	formerly in name of US Government (Vichy Airport) - LONG SECTION, 2440' E & 2840' N OF SW CORNER SEC. 2			

LOG ID:
007938

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1942/09/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,132FT
<u>DRILL DEPTH:</u>	950FT	39N	8W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	86FT				607,505.05	4,221,548.62
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	230	<u>REMARKS:</u>	formerly in name of US Government (Vichy Airport) - LONG SECTION (1 X 2 MI)			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016654**WELL TYPE

Private Well

DRILL DATE: 1957/07/01TOWNSHIP RANGE SECTION

39N

8W

22

ELEVATION: 866FTDRILL DEPTH: 150FTUTM X UTM YDEPTH TO BED: 20FT606,556.13 4,216,616.43
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****022506**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

39N

8W

24

ELEVATION: 1,058FTDRILL DEPTH: 341FTUTM X UTM YDEPTH TO BED: 40FT608,979.14 4,215,734.42
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 2 MI S NEAR VETO STORE AREAS.W.L. (AFTER CASING):**LOG ID:****028796**WELL TYPE

Community Public Well

DRILL DATE: 1997/02/16TOWNSHIP RANGE SECTION

39N

8W

24

ELEVATION: 1,093FTDRILL DEPTH: 1,020FTUTM X UTM YDEPTH TO BED:608,379.13 4,216,350.44
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Vichy WellS.W.L. (AFTER CASING): 256**LOG ID:****028518**WELL TYPE

Private Well

DRILL DATE: 1982/05/01TOWNSHIP RANGE SECTION

39N

8W

25

ELEVATION: 1,020FTDRILL DEPTH: 335FTUTM X UTM YDEPTH TO BED: 30FT609,082.16 4,214,840.39
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026056**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,088FT

DRILL DEPTH:

305FT

39N

8W

26

DEPTH TO BED:UTM XUTM Y

607,970.15

4,215,479.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

AIR ROTARY; 3 MI W OF VICHY ON HWY 63

S.W.L. (AFTER CASING):

250

LOG ID:**014572**WELL TYPE

Private Well

DRILL DATE:

1956/02/01

TOWNSHIPRANGESECTIONELEVATION:

927FT

DRILL DEPTH:

150FT

39N

8W

27

DEPTH TO BED:

60FT

UTM XUTM Y

605,762.16

4,214,793.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

105

LOG ID:**015254**WELL TYPE

Private Well

DRILL DATE:

1956/07/01

TOWNSHIPRANGESECTIONELEVATION:

946FT

DRILL DEPTH:

155FT

39N

8W

27

DEPTH TO BED:

5FT

UTM XUTM Y

606,162.15

4,215,195.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

116

LOG ID:**014566**WELL TYPE

Private Well

DRILL DATE:

1956/01/01

TOWNSHIPRANGESECTIONELEVATION:

916FT

DRILL DEPTH:

115FT

39N

8W

28

DEPTH TO BED:

25FT

UTM XUTM Y

604,948.17

4,214,114.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016656**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1957/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	827FT
<u>DRILL DEPTH:</u>	100FT	39N	8W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				602,125.17	4,213,857.28
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	EITHER THE DAVIS CHURCH, OR MR. DAVIS CHURCH			
<u>S.W.L. (AFTER CASING):</u>	49					

LOG ID:**013753**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	928FT
<u>DRILL DEPTH:</u>	300FT	39N	8W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				603,951.19	4,212,708.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 90-300'			
<u>S.W.L. (AFTER CASING):</u>	125					

LOG ID:**027366**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1970/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,062FT
<u>DRILL DEPTH:</u>	425FT	39N	8W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				606,173.20	4,212,379.27
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SAMPLES SCANNED			
<u>S.W.L. (AFTER CASING):</u>	320					

LOG ID:**002396**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,129FT
<u>DRILL DEPTH:</u>	114FT	39N	8W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	58FT				607,579.19	4,212,852.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ VETO, ON HWY 63 JUST N OF COUNTY LINE			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015069**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,122FT
<u>DRILL DEPTH:</u>	365FT	39N	8W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				607,579.19	4,212,648.29
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	273					

REMARKS:**LOG ID:****018315**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,133FT
<u>DRILL DEPTH:</u>	328FT	39N	8W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				608,179.19	4,213,056.32
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	114					

REMARKS: 0.25 MI E OF VETO RD**LOG ID:****027859**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1975/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	770FT
<u>DRILL DEPTH:</u>	76FT	39N	8W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				600,890.06	4,220,765.51
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: CORE HOLE; LONG SECTION (1 X 2 MI)**LOG ID:****013741**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	155FT	39N	9W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				597,444.07	4,219,965.43
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	98					

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013728

WELL TYPE
Private Well

DRILL DATE: 1955/05/01

TOWNSHIP RANGE SECTION

ELEVATION: 864FT

DRILL DEPTH: 293FT

39N 9W 14

DEPTH TO BED:

UTM X UTM Y
597,639.10 4,217,953.37
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 110

LOG ID:
027794

WELL TYPE
Private Well

DRILL DATE: 1971/03/23

TOWNSHIP RANGE SECTION

ELEVATION: 719FT

DRILL DEPTH: 260FT

39N 9W 16

DEPTH TO BED:

UTM X UTM Y
594,759.11 4,217,701.33
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO SAMPLES LOGGED OR RUN - BLANK LOG

S.W.L. (AFTER CASING): 35

LOG ID:
002856

WELL TYPE
Private Well

DRILL DATE: 1934/04/01

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 176FT

39N 9W 2

DEPTH TO BED: 50FT

UTM X UTM Y
598,046.04 4,221,684.50
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N SPRING CREEK & GASCONADE RIVER

S.W.L. (AFTER CASING):

LOG ID:
007530

WELL TYPE
Private Well

DRILL DATE: 1942/02/01

TOWNSHIP RANGE SECTION

ELEVATION: 645FT

DRILL DEPTH: 253FT

39N 9W 2

DEPTH TO BED: 35FT

UTM X UTM Y
598,046.04 4,221,684.50
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: LONG SECTION 1X2 MI; ON GASC. RIVER @ MOUTH OF SPRING CREEK

S.W.L. (AFTER CASING): 12



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019580

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 630FT
39N 9W 2
DRILL DEPTH: 100FT UTM X UTM Y
DEPTH TO BED: 20FT 597,946.04 4,221,914.50
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MAY BE MISS LOCATED - ON HWY 28 1 MI FROM GASCONADE
S.W.L. (AFTER CASING): RIVER ??

LOG ID:
027806

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 818FT
39N 9W 2
DRILL DEPTH: 104FT UTM X UTM Y
DEPTH TO BED: 4FT 597,646.02 4,223,069.54
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LONG SECTION 1 X 2 MI
S.W.L. (AFTER CASING):

LOG ID:
024206

WELL TYPE
Private Well

DRILL DATE: 1966/04/18 TOWNSHIP RANGE SECTION ELEVATION: 942FT
39N 9W 25
DRILL DEPTH: 365FT UTM X UTM Y
DEPTH TO BED: 10FT 599,828.17 4,213,948.26
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI N OF ROLLA ON HWY E, 2 MI N ON HWY 00, 0.5 MI W ON
S.W.L. (AFTER CASING): COUNTY RD

LOG ID:
002781

WELL TYPE
Private Well

DRILL DATE: 1933/11/01 TOWNSHIP RANGE SECTION ELEVATION: 665FT
39N 9W 34
DRILL DEPTH: 110FT UTM X UTM Y
DEPTH TO BED: 15FT 596,631.18 4,213,579.22
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015400**WELL TYPE

Private Well

DRILL DATE: 1956/11/01TOWNSHIPRANGESECTIONELEVATION:

683FT

DRILL DEPTH: 100FT

39N

9W

35

DEPTH TO BED: 10FTUTM XUTM Y

598,404.19

4,212,574.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 1 MI E OF GASCONADE RIVER, 9 OR 10 MI W ON HWY ES.W.L. (AFTER CASING): 50**LOG ID:****027910**WELL TYPE

Private Well

DRILL DATE: 1975/04/23TOWNSHIPRANGESECTIONELEVATION:

666FT

DRILL DEPTH: 100FT

39N

9W

35

DEPTH TO BED: 45FTUTM XUTM Y

597,904.19

4,212,868.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 20**LOG ID:****008934**WELL TYPE

Private Well

DRILL DATE: 1945/10/15TOWNSHIPRANGESECTIONELEVATION:

960FT

DRILL DEPTH: 70FT

39N

9W

5

DEPTH TO BED:UTM XUTM Y

593,021.01

4,223,586.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF VIENA ON HWY 63, 0.5 MI W ON HWY 28S.W.L. (AFTER CASING): 37**LOG ID:****016389**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/07/01TOWNSHIPRANGESECTIONELEVATION:

969FT

DRILL DEPTH: 264FT

39N

9W

5

DEPTH TO BED:UTM XUTM Y

593,221.02

4,223,124.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; "POOR SAMPLES"; 2 MI S OF VIENNA @ JCT
HWYS 63 & 28S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028769**WELL TYPE

Community Public Well

DRILL DATE: 1997/02/19TOWNSHIPRANGESECTIONELEVATION:

955FT

DRILL DEPTH: 1,000FT

39N

9W

5

DEPTH TO BED:UTM XUTM Y

592,521.01

4,223,355.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

Vienna Well

S.W.L. (AFTER CASING): 170**LOG ID:****026047**WELL TYPE

Private Well

DRILL DATE: 1968/04/11TOWNSHIPRANGESECTIONELEVATION:

909FT

DRILL DEPTH: 170FT

39N

9W

7

DEPTH TO BED:UTM XUTM Y

591,510.08

4,219,362.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

5 MI S OF VIENNA, 0.5 MI E OF HWY 28

S.W.L. (AFTER CASING):**LOG ID:****010419**WELL TYPE

Private Well

DRILL DATE: 1948/10/15TOWNSHIPRANGESECTIONELEVATION:

939FT

DRILL DEPTH: 59FT

39N

10W

1

DEPTH TO BED: 45FTUTM XUTM Y

589,782.05

4,221,315.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

LONG 1 X 2 MI SECTION; OLD WELL DEEPENED 46-58.5'

S.W.L. (AFTER CASING): 38**LOG ID:****006477**WELL TYPE

Private Well

DRILL DATE: 1940/10/01TOWNSHIPRANGESECTIONELEVATION:

1,098FT

DRILL DEPTH: 199FT

39N

10W

11

DEPTH TO BED: 40FTUTM XUTM Y

587,778.07

4,219,936.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

5 MI W OF VIENNA, ACROSS RD FROM SCHOOL & CHURCH

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013318**WELL TYPE

Private Well

DRILL DATE: 1955/01/01TOWNSHIP RANGE SECTIONELEVATION: 954FTDRILL DEPTH: 185FT

39N 10W 23

DEPTH TO BED: 3FTUTM X UTM Y
588,992.12 4,216,911.24
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI N OF HAYDEN STORES.W.L. (AFTER CASING): 135**LOG ID:****013305**WELL TYPE

Private Well

DRILL DATE: 1955/01/01TOWNSHIP RANGE SECTIONELEVATION: 863FTDRILL DEPTH: 170FT

39N 10W 25

DEPTH TO BED: 30FTUTM X UTM Y
590,403.16 4,214,280.18
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: AT HARDEN STORES.W.L. (AFTER CASING): 135**LOG ID:****013303**WELL TYPE

Private Well

DRILL DATE: 1955/01/01TOWNSHIP RANGE SECTIONELEVATION: 931FTDRILL DEPTH: 120FT

39N 10W 26

DEPTH TO BED: 5FTUTM X UTM Y
587,995.17 4,213,904.14
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF HADEN, N OF DIXONS.W.L. (AFTER CASING): 45**LOG ID:****010736**WELL TYPE

Private Well

DRILL DATE: 1949/03/15TOWNSHIP RANGE SECTIONELEVATION: 1,073FTDRILL DEPTH: 50FT

39N 10W 28

DEPTH TO BED: 12FTUTM X UTM Y
584,389.16 4,213,975.11
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 9 MI S OF DIXON ON HWY 28S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013534**WELL TYPE

Private Well

DRILL DATE: 1954/10/06TOWNSHIPRANGESECTIONELEVATION:

1,055FT

DRILL DEPTH: 155FT

39N

10W

29

DEPTH TO BED: 10FTUTM XUTM Y

583,379.16

4,213,983.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****006262**WELL TYPE

Private Well

DRILL DATE: 1940/08/01TOWNSHIPRANGESECTIONELEVATION:

1,057FT

DRILL DEPTH: 96FT

39N

10W

30

DEPTH TO BED: 30FTUTM XUTM Y

581,695.15

4,214,525.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI W OF VIENNA ON OLD HANCOCK RDS.W.L. (AFTER CASING):**LOG ID:****009869**WELL TYPE

Private Well

DRILL DATE: 1946/12/20TOWNSHIPRANGESECTIONELEVATION:

1,104FT

DRILL DEPTH: 97FT

39N

10W

32

DEPTH TO BED: 40FTUTM XUTM Y

584,187.18

4,212,763.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 12 MI SW OF VIENNA ON HWY 28S.W.L. (AFTER CASING): 59**LOG ID:****014814**WELL TYPE

Private Well

DRILL DATE: 1956/04/01TOWNSHIPRANGESECTIONELEVATION:

1,102FT

DRILL DEPTH: 260FT

39N

10W

33

DEPTH TO BED:UTM XUTM Y

584,796.19

4,212,551.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 8 MI N OF DIXON ON HWY 28 @ HAYDEN CUT-OFFS.W.L. (AFTER CASING): 158



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015979**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

1,082FT

DRILL DEPTH: 341FT

39N

10W

33

DEPTH TO BED:UTM XUTM Y

584,396.17

4,213,775.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SKIPPED SAMPLES 130-280', NO TOPSS.W.L. (AFTER CASING):**LOG ID:****017168**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/05/13TOWNSHIPRANGESECTIONELEVATION:

1,095FT

DRILL DEPTH: 276FT

39N

10W

33

DEPTH TO BED: 10FTUTM XUTM Y

584,596.19

4,212,551.08

ZONE 15

S.W.L. (BEFORE CASING): 99 FTREMARKS: 8 MI N OF DIXON ON HWY 28; WATER GONE BAD (1867), RECOM
DRILL TO 500'S.W.L. (AFTER CASING): 150 FT**LOG ID:****018801**WELL TYPE

Private Well

DRILL DATE: 1959/10/29TOWNSHIPRANGESECTIONELEVATION:

1,026FT

DRILL DEPTH: 235FT

39N

11W

12

DEPTH TO BED: 15FTUTM XUTM Y

580,412.06

4,220,314.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IN BRINKTOWN 1 MI OFF HWY 133S.W.L. (AFTER CASING): 125**LOG ID:****022654**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

902FT

DRILL DEPTH: 300FT

39N

11W

2

DEPTH TO BED: 170FTUTM XUTM Y

578,792.02

4,222,831.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION ; BRINKWOTN, MANY MISSING SAMPLESS.W.L. (AFTER CASING): 63



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014135**WELL TYPE

Private Well

DRILL DATE: 1955/10/29TOWNSHIP RANGE SECTIONELEVATION: 929FTDRILL DEPTH: 155FT

39N 11W 3

DEPTH TO BED:UTM X UTM Y
576,982.01 4,223,741.25
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION 1 X 2 MI;S.W.L. (AFTER CASING): 73**LOG ID:****005697**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIP RANGE SECTIONELEVATION: 961FTDRILL DEPTH: 225FT

40N 7W 10

DEPTH TO BED: 12FTUTM X UTM Y
614,482.88 4,230,372.99
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 7 MI SE OF BELLES.W.L. (AFTER CASING):**LOG ID:****006149**WELL TYPE

Private Well

DRILL DATE: 1940/06/01TOWNSHIP RANGE SECTIONELEVATION: 979FTDRILL DEPTH: 120FT

40N 7W 16

DEPTH TO BED: 25FTUTM X UTM Y
612,854.91 4,228,692.92
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025595**WELL TYPE

Private Well

DRILL DATE: 1967/04/06TOWNSHIP RANGE SECTIONELEVATION: 1,017FTDRILL DEPTH: 290FT

40N 7W 25

DEPTH TO BED:UTM X UTM Y
617,884.93 4,226,192.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 MI NE OF HIGH GATE POST OFFICES.W.L. (AFTER CASING): 200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026985**WELL TYPE

Private Well

DRILL DATE: 1969/09/01TOWNSHIPRANGESECTIONELEVATION:

992FT

DRILL DEPTH: 290FT

40N

7W

26

DEPTH TO BED: 30FTUTM XUTM Y

616,365.93

4,226,896.86

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI N & 1 MI E OF HIGH GATES.W.L. (AFTER CASING): 200**LOG ID:****020915**WELL TYPE

Private Well

DRILL DATE: 1962/04/06TOWNSHIPRANGESECTIONELEVATION:

1,087FT

DRILL DEPTH: 249FT

40N

7W

29

DEPTH TO BED: 95FTUTM XUTM Y

611,080.98

4,225,455.80

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 1 MI S OF LANES PRAIRIE STORES.W.L. (AFTER CASING): 149**LOG ID:****011693**WELL TYPE

Private Well

DRILL DATE: 1950/10/01TOWNSHIPRANGESECTIONELEVATION:

1,086FT

DRILL DEPTH: 165FT

40N

7W

32

DEPTH TO BED: 10FTUTM XUTM Y

610,931.00

4,224,036.75

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF VICHY AIRPORTS.W.L. (AFTER CASING): 47**LOG ID:****015445**WELL TYPE

Private Well

DRILL DATE: 1956/10/01TOWNSHIPRANGESECTIONELEVATION:

1,089FT

DRILL DEPTH: 118FT

40N

7W

32

DEPTH TO BED: 30FTUTM XUTM Y

610,731.00

4,224,036.75

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 57



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017799**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1958/12/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,103FT
<u>DRILL DEPTH:</u>	325FT	40N	7W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				611,185.00	4,223,916.74
<u>S.W.L. (BEFORE CASING):</u>	70	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	110	FT				

REMARKS: LONG SECTION

LOG ID:**024768**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,092FT
<u>DRILL DEPTH:</u>	305FT	40N	7W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				614,590.99	4,223,827.75
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	155					

REMARKS: 1 MI W OF HIGH GATE

LOG ID:**020672**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,072FT
<u>DRILL DEPTH:</u>	275FT	40N	7W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				616,104.97	4,224,348.77
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:**027284**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1970/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,081FT
<u>DRILL DEPTH:</u>	362FT	40N	7W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				616,204.97	4,224,246.77
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: formerly in name of Ruth Geisler



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026703

WELL TYPE
Private Well

DRILL DATE: 1968/10/18

TOWNSHIP RANGE SECTION

ELEVATION: 1,026FT

DRILL DEPTH: 355FT

40N 7W 36

DEPTH TO BED: 60FT

UTM X UTM Y
617,600.96 4,224,647.78
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2 MI E OF HIGH GATE ON HWY U

S.W.L. (AFTER CASING):

LOG ID:
027132

WELL TYPE
Private Well

DRILL DATE: 1970/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,022FT

DRILL DEPTH: 301FT

40N 7W 36

DEPTH TO BED: 120FT

UTM X UTM Y
618,200.95 4,225,063.80
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
015011

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1956/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,053FT

DRILL DEPTH: 600FT

40N 7W 5

DEPTH TO BED: 50FT

UTM X UTM Y
611,935.86 4,232,024.05
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 350

LOG ID:
002124

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1926//

TOWNSHIP RANGE SECTION

ELEVATION: 964FT

DRILL DEPTH: 300FT

40N 7W 8

DEPTH TO BED:

UTM X UTM Y
610,983.89 4,230,890.00
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005285**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1939/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	970FT
<u>DRILL DEPTH:</u>	600FT	40N	7W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				610,983.88	4,230,992.01
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	225	<u>REMARKS:</u>	formerly in name of Shell Pipe Line			

LOG ID:**018999**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/11/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	985FT
<u>DRILL DEPTH:</u>	280FT	40N	8W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	250FT				608,616.93	4,228,566.90
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	25	<u>REMARKS:</u>	ABT 5 MI SSW OF BELLE; YIELD - 18 GPM @ 53'			

LOG ID:**020188**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/09/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,014FT
<u>DRILL DEPTH:</u>	375FT	40N	8W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				607,816.95	4,227,116.83
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	2 MI W OF LANES PRAIRIE; YIELD - 12 GPM @ 250'			

LOG ID:**006035**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/05/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,030FT
<u>DRILL DEPTH:</u>	113FT	40N	8W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				606,446.96	4,226,478.79
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65	<u>REMARKS:</u>	YIELD - 19 G/HOUR			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015332

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,030FT
<u>DRILL DEPTH:</u>	360FT	40N	8W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				606,646.96	4,226,478.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 110-360'; ABT 2 MI W OF LANES PRAIRIE			
<u>S.W.L. (AFTER CASING):</u>	203		STONE			

LOG ID:
027448

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1963/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	644FT
<u>DRILL DEPTH:</u>	1,547FT	40N	8W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				600,192.98	4,225,526.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	HOLE #63W72 (MA-1), HONSE OPTION			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
016868

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	771FT
<u>DRILL DEPTH:</u>	71FT	40N	8W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				604,450.99	4,225,059.71
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ON CEDAR CREEK - FLOWS 5 GPM			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
006032

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,067FT
<u>DRILL DEPTH:</u>	52FT	40N	8W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				607,689.99	4,224,670.74
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NEAR VICHY			
<u>S.W.L. (AFTER CASING):</u>	17					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015450**WELL TYPE

Private Well

DRILL DATE: 1956/09/01TOWNSHIPRANGESECTIONELEVATION:

1,045FT

DRILL DEPTH: 287FT

40N

8W

36

DEPTH TO BED: 35FTUTM XUTM Y

608,890.00

4,224,464.75

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40**LOG ID:****000770**WELL TYPE

Private Well

DRILL DATE: 1942/04/00TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 190FT

40N

8W

9

DEPTH TO BED: 5FTUTM XUTM Y

603,200.89

4,231,044.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007770**WELL TYPE

Private Well

DRILL DATE: 1942/04/01TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 220FT

40N

8W

9

DEPTH TO BED: 5FTUTM XUTM Y

603,200.89

4,231,044.90

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 65**LOG ID:****007870**WELL TYPE

Private Well

DRILL DATE: 1942/05/01TOWNSHIPRANGESECTIONELEVATION:

637FT

DRILL DEPTH: 140FT

40N

8W

9

DEPTH TO BED: 10FTUTM XUTM Y

603,800.88

4,231,532.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR PAYDOWNS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005484**WELL TYPE

Private Well

DRILL DATE: 1939/07/01TOWNSHIP RANGE SECTIONELEVATION: 694FTDRILL DEPTH: 45FT

40N 9W 12

DEPTH TO BED: 5FTUTM X UTM Y
597,758.88 4,231,317.80
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "STINMATE"S.W.L. (AFTER CASING):**LOG ID:****004433**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/00/00TOWNSHIP RANGE SECTIONELEVATION: 682FTDRILL DEPTH: 32FT

40N 9W 2

DEPTH TO BED:UTM X UTM Y
597,211.85 4,232,985.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "COPPER MINE" - IRON MINE, NO FORMATIONSS.W.L. (AFTER CASING):**LOG ID:****004434**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/00/00TOWNSHIP RANGE SECTIONELEVATION: 682FTDRILL DEPTH: 16FT

40N 9W 2

DEPTH TO BED:UTM X UTM Y
597,211.85 4,232,985.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "COPPER MINE" - PROSPECT HOLES.W.L. (AFTER CASING):**LOG ID:****004440**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/00/00TOWNSHIP RANGE SECTIONELEVATION: 682FTDRILL DEPTH: 15FT

40N 9W 2

DEPTH TO BED:UTM X UTM Y
597,211.85 4,232,985.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "COPPER MINE" - PYRITE PROSPECTS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004441**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/00/00TOWNSHIP RANGE SECTIONELEVATION: 682FTDRILL DEPTH: 6FT

40N

9W

2

UTM XUTM YDEPTH TO BED:597,211.85 4,232,985.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "COPPER MINE" - PYRITE PROSPECTS.W.L. (AFTER CASING):**LOG ID:****004442**WELL TYPE

Private Well

DRILL DATE: 1937/00/00TOWNSHIP RANGE SECTIONELEVATION: 682FTDRILL DEPTH: 14FT

40N

9W

2

UTM XUTM YDEPTH TO BED:597,211.85 4,232,985.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "COPPER MINE"S.W.L. (AFTER CASING):**LOG ID:****002504**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1931/11/01TOWNSHIP RANGE SECTIONELEVATION: 853FTDRILL DEPTH: 800FT

40N

9W

20

UTM XUTM YDEPTH TO BED: 10FT591,985.95 4,227,127.57
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO FORMATION IDENTIFIED, SAMPLES 10-65'S.W.L. (AFTER CASING):**LOG ID:****004654**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/02/01TOWNSHIP RANGE SECTIONELEVATION: 855FTDRILL DEPTH: 315FT

40N

9W

20

UTM XUTM YDEPTH TO BED: 30FT592,185.95 4,227,127.58
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: VIENNAS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007867**WELL TYPE

Private Well

DRILL DATE: 1941/09/20TOWNSHIPRANGESECTIONELEVATION:

876FT

DRILL DEPTH: 140FT

40N

9W

20

DEPTH TO BED: 5FTUTM XUTM Y

592,185.94

4,227,523.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: VIENNAS.W.L. (AFTER CASING): 50**LOG ID:****010425**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/09/10TOWNSHIPRANGESECTIONELEVATION:

845FT

DRILL DEPTH: 49FT

40N

9W

20

DEPTH TO BED: 5FTUTM XUTM Y

591,785.94

4,227,523.58

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 33**LOG ID:****012572**WELL TYPE

Community Public Well

DRILL DATE: 1954/03/15TOWNSHIPRANGESECTIONELEVATION:

888FT

DRILL DEPTH: 670FT

40N

9W

20

DEPTH TO BED: 10FTUTM XUTM Y

592,278.95

4,227,236.58

ZONE 15

S.W.L. (BEFORE CASING): 116 FTREMARKS:S.W.L. (AFTER CASING): 120 FT**LOG ID:****024457**WELL TYPE

Private Well

DRILL DATE: 1965/05/07TOWNSHIPRANGESECTIONELEVATION:

902FT

DRILL DEPTH: 205FT

40N

9W

20

DEPTH TO BED: 10FTUTM XUTM Y

592,185.93

4,228,515.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 134

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028731

WELL TYPE
Community Public Well

DRILL DATE: 1994/09/13 TOWNSHIP 40N RANGE 9W SECTION 20 ELEVATION: 860FT
DRILL DEPTH: 970FT UTM X 592,459.94 UTM Y 4,227,480.59
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
010373

WELL TYPE
Private Well

DRILL DATE: 1948/09/25 TOWNSHIP 40N RANGE 9W SECTION 21 ELEVATION: 706FT
DRILL DEPTH: 43FT UTM X 594,382.95 UTM Y 4,227,099.61
DEPTH TO BED: 14FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI FROM VIENNA
S.W.L. (AFTER CASING): 25

LOG ID:
010410

WELL TYPE
Private Well

DRILL DATE: 1948/10/08 TOWNSHIP 40N RANGE 9W SECTION 22 ELEVATION:
DRILL DEPTH: 40FT UTM X 595,173.94 UTM Y 4,227,517.64
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI FROM VIENNA
S.W.L. (AFTER CASING): 11

LOG ID:
007974

WELL TYPE
Private Well

DRILL DATE: 1942/09/01 TOWNSHIP 40N RANGE 9W SECTION 23 ELEVATION: 770FT
DRILL DEPTH: 161FT UTM X 596,644.94 UTM Y 4,227,840.67
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003723**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1936/09/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	834FT
<u>DRILL DEPTH:</u>	301FT	40N	9W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				592,661.95	4,226,914.58
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	58				<u>REMARKS:</u>	

LOG ID:**005290**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/03/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	907FT
<u>DRILL DEPTH:</u>	150FT	40N	9W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					592,161.97	4,226,116.55
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65				<u>REMARKS:</u>	

LOG ID:**006864**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1941/05/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	872FT
<u>DRILL DEPTH:</u>	320FT	40N	9W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				592,361.95	4,226,914.57
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> POOR SAMPLES; @ COURT HOUSE IN VIENNA	

LOG ID:**010506**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/11/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	69FT	40N	9W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				591,961.95	4,226,914.57
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	24				<u>REMARKS:</u> JCT HWYS 63 & 42 IN VIENNA	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017245**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/04/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	911FT
<u>DRILL DEPTH:</u>	130FT	40N	9W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				591,561.96	4,226,316.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	W EDGE OF VIENNA - POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:**028616**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1984/09/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	940FT
<u>DRILL DEPTH:</u>	935FT	40N	9W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				592,257.97	4,226,185.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	610 ft of 8" liner			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013744**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	891FT
<u>DRILL DEPTH:</u>	115FT	40N	9W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					591,145.98	4,225,318.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**005161**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	828FT
<u>DRILL DEPTH:</u>	74FT	40N	9W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				598,246.00	4,224,061.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	6 MI E OF VIENNA; NOT SURE IF A CHURCH, OR MR. CHURCH			
<u>S.W.L. (AFTER CASING):</u>	18					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015568**WELL TYPE

Private Well

DRILL DATE: 1956/10/01TOWNSHIPRANGESECTIONELEVATION:

741FT

DRILL DEPTH: 120FT

40N

9W

36

DEPTH TO BED: 15FTUTM XUTM Y

598,646.00

4,224,061.58

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: AT GASCONADE BRIDGE STORE ON N SIDE OF HWY 63S.W.L. (AFTER CASING): 65**LOG ID:****017020**WELL TYPE

Private Well

DRILL DATE: 1957/10/01TOWNSHIPRANGESECTIONELEVATION:

819FT

DRILL DEPTH: 110FT

40N

9W

36

DEPTH TO BED: 20FTUTM XUTM Y

598,645.99

4,224,891.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI S & 4 MI E OF VIENNAS.W.L. (AFTER CASING):**LOG ID:****016629**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/09/01TOWNSHIPRANGESECTIONELEVATION:

934FT

DRILL DEPTH: 277FT

40N

9W

4

DEPTH TO BED:UTM XUTM Y

593,511.86

4,232,396.76

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: FILLING STATIONS.W.L. (AFTER CASING): 222**LOG ID:****026090**WELL TYPE

Private Well

DRILL DATE: 1968/09/12TOWNSHIPRANGESECTIONELEVATION:

924FT

DRILL DEPTH: 275FT

40N

9W

4

DEPTH TO BED: 10FTUTM XUTM Y

593,511.86

4,232,626.77

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF VIENNA ON HWY 63 - LONG SECTIONS.W.L. (AFTER CASING): 205



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007771**WELL TYPE

Private Well

DRILL DATE: 1942/03/14TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 460FT

40N

9W

5

DEPTH TO BED: 5FTUTM XUTM Y

592,881.87

4,231,915.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "LOST WATER AT 190"S.W.L. (AFTER CASING): 210**LOG ID:****017021**WELL TYPE

Private Well

DRILL DATE: 1957/11/01TOWNSHIPRANGESECTIONELEVATION:

858FT

DRILL DEPTH: 190FT

40N

9W

9

DEPTH TO BED: 20FTUTM XUTM Y

593,256.88

4,231,510.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****016106**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

931FT

DRILL DEPTH: 120FT

40N

10W

21

DEPTH TO BED:UTM XUTM Y

584,118.94

4,228,000.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021994**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,001FT

DRILL DEPTH: 325FT

40N

10W

21

DEPTH TO BED: 15FTUTM XUTM Y

584,518.94

4,227,792.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI W OF VIENNA AT JCT OF HWYS T & 42S.W.L. (AFTER CASING): 250



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018881**WELL TYPE

Private Well

DRILL DATE: 1960/01/10 TOWNSHIP 40N RANGE 10W SECTION 23 ELEVATION: 823FT
DRILL DEPTH: 215FT UTM X 586,767.93 UTM Y 4,228,143.52
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: SAMPLES MIXED; 3 MI W OF VIENNA ON HWY 42, 0.5 MI N
S.W.L. (AFTER CASING): 60

LOG ID:**017066**WELL TYPE

Private Well

DRILL DATE: 1958/03/20 TOWNSHIP 40N RANGE 10W SECTION 26 ELEVATION: 779FT
DRILL DEPTH: 80FT UTM X 587,940.96 UTM Y 4,226,538.49
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 5 MI W OF VIENNA
S.W.L. (AFTER CASING):

LOG ID:**014801**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1956/08/01 TOWNSHIP 40N RANGE 10W SECTION 27 ELEVATION: 860FT
DRILL DEPTH: 400FT UTM X 585,730.97 UTM Y 4,225,766.44
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 50

LOG ID:**015850**WELL TYPE

Private Well

DRILL DATE: 1957/02/01 TOWNSHIP 40N RANGE 10W SECTION 29 ELEVATION:
DRILL DEPTH: 248FT UTM X 582,484.98 UTM Y 4,225,592.38
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 63, 2 MI SE OF VIENNA
S.W.L. (AFTER CASING): 181



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005630**WELL TYPE

Private Well

DRILL DATE: 1939/09/01TOWNSHIPRANGESECTIONELEVATION:

1,010FT

DRILL DEPTH: 235FT

40N

10W

30

DEPTH TO BED: 10FTUTM XUTM Y

580,473.97

4,226,431.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.8 MI W OF VIENNAS.W.L. (AFTER CASING): 80**LOG ID:****005631**WELL TYPE

Private Well

DRILL DATE: 1939/09/01TOWNSHIPRANGESECTIONELEVATION:

1,005FT

DRILL DEPTH: 170FT

40N

10W

30

DEPTH TO BED: 25FTUTM XUTM Y

580,073.96

4,226,839.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****017018**WELL TYPE

Private Well

DRILL DATE: 1957/12/01TOWNSHIPRANGESECTIONELEVATION:

1,066FT

DRILL DEPTH: 270FT

40N

10W

31

DEPTH TO BED: 10FTUTM XUTM Y

580,464.00

4,224,616.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAMPLES MIXED, DO NOT USE FOR CORRELATIONS.W.L. (AFTER CASING):**LOG ID:****016108**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

870FT

DRILL DEPTH: 120FT

40N

10W

32

DEPTH TO BED: 35FTUTM XUTM Y

583,077.98

4,225,394.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010127

WELL TYPE
Private Well

DRILL DATE: 1948/05/11

TOWNSHIP RANGE SECTION
40N 10W 5

ELEVATION: 793FT

DRILL DEPTH: 205FT

UTM X UTM Y

DEPTH TO BED: 10FT

581,923.87 4,232,651.54
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5 MI S OF ARGYLE

S.W.L. (AFTER CASING):

LOG ID:
013051

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1954/10/01

TOWNSHIP RANGE SECTION
40N 11W 27

ELEVATION: 968FT

DRILL DEPTH: 262FT

UTM X UTM Y

DEPTH TO BED: 35FT

576,657.98 4,225,658.29
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 182

LOG ID:
005162

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/10/01

TOWNSHIP RANGE SECTION
40N 11W 31

ELEVATION: 817FT

DRILL DEPTH: 70FT

UTM X UTM Y

DEPTH TO BED:

571,101.00 4,224,813.19
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI W OF MEYERS TOWN; HEMATITE WELL

S.W.L. (AFTER CASING):

LOG ID:
017667

WELL TYPE
Private Well

DRILL DATE: 1958/06/27

TOWNSHIP RANGE SECTION
40N 11W 31

ELEVATION: 857FT

DRILL DEPTH: 155FT

UTM X UTM Y

DEPTH TO BED: 30FT

570,801.01 4,224,097.17
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 8 MI E OF IBERIA ON HWY 42

S.W.L. (AFTER CASING): 55

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016159

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/05/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	885FT
<u>DRILL DEPTH:</u>	175FT	40N	11W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				572,222.01	4,224,087.19
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	91					

REMARKS:

LOG ID:
016104

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/04/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	939FT
<u>DRILL DEPTH:</u>	300FT	40N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				576,846.00	4,224,835.28
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	122					

REMARKS: NEAR BRINKTOWN

LOG ID:
027245

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	941FT
<u>DRILL DEPTH:</u>	300FT	40N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				577,045.99	4,224,835.28
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; MOSTLY SKIPPED
INTERVALS 10-20'

LOG ID:
017782

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	915FT
<u>DRILL DEPTH:</u>	162FT	40N	11W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				579,046.99	4,225,036.31
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001676**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1913/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,029FT
<u>DRILL DEPTH:</u>	800FT	41N	7W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	87FT				611,536.75	4,238,369.18
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	295	<u>REMARKS:</u>	BELLE - CALIPER LOG ATTACHED			

LOG ID:**013374**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1955/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,048FT
<u>DRILL DEPTH:</u>	910FT	41N	7W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				611,136.76	4,237,737.17
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	370					

LOG ID:**004067**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1937/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,029FT
<u>DRILL DEPTH:</u>	806FT	41N	7W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				611,926.74	4,238,421.18
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	285					

LOG ID:**021040**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/03/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	948FT
<u>DRILL DEPTH:</u>	243FT	41N	7W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				615,356.77	4,236,529.17
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	10' SAMPLES; YIELD - 15 GPM @ 140'			
<u>S.W.L. (AFTER CASING):</u>	110					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010548**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/10/13TOWNSHIPRANGESECTIONELEVATION:

1,012FT

DRILL DEPTH: 435FT

41N

7W

29

DEPTH TO BED:UTM XUTM Y

611,373.81

4,235,490.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 280**LOG ID:****018683**WELL TYPE

Private Well

DRILL DATE: 1959/09/05TOWNSHIPRANGESECTIONELEVATION:

1,033FT

DRILL DEPTH: 420FT

41N

7W

29

DEPTH TO BED: 100FTUTM XUTM Y

611,173.78

4,236,532.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI S OF BELLE ON HWY 28; YIELD 15 GPM @ 335'S.W.L. (AFTER CASING): 300**LOG ID:****018783**WELL TYPE

Private Well

DRILL DATE: 1959/10/14TOWNSHIPRANGESECTIONELEVATION:

954FT

DRILL DEPTH: 330FT

41N

7W

29

DEPTH TO BED: 20FTUTM XUTM Y

610,973.80

4,235,906.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 15 GPM @ 245'; ABT 0.5 MI S OF BELLE, 0.25 MI N ON HWY KS.W.L. (AFTER CASING): 230**LOG ID:****020661**WELL TYPE

Community Public Well

DRILL DATE: 1962//TOWNSHIPRANGESECTIONELEVATION:

1,037FT

DRILL DEPTH: 370FT

41N

7W

29

DEPTH TO BED: 75FTUTM XUTM Y

611,194.78

4,236,781.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: owned by E.B. Martin - formerly in name of Merle HawkinsS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027434

WELL TYPE
Private Well

DRILL DATE: 1970/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,022FT

DRILL DEPTH: 465FT

41N 7W 30

DEPTH TO BED: 100FT

UTM X UTM Y
609,597.80 4,235,890.15
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BELLE

S.W.L. (AFTER CASING):

LOG ID:
017322

WELL TYPE
Private Well

DRILL DATE: 1958/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 939FT

DRILL DEPTH: 283FT

41N 7W 33

DEPTH TO BED: 170FT

UTM X UTM Y
612,874.82 4,234,751.14
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI SSW OF BELLE; YIELD - 12 GPM @ 170'

S.W.L. (AFTER CASING): 160

LOG ID:
020252

WELL TYPE
Private Well

DRILL DATE: 1961/09/02

TOWNSHIP RANGE SECTION

ELEVATION: 920FT

DRILL DEPTH: 297FT

41N 7W 33

DEPTH TO BED: 70FT

UTM X UTM Y
612,874.82 4,234,751.14
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: YIELD - 15 GPM @ 167'; 2 MI SE OF BELLE

S.W.L. (AFTER CASING): 155

LOG ID:
016651

WELL TYPE
Private Well

DRILL DATE: 1957/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 922FT

DRILL DEPTH: 260FT

41N 7W 35

DEPTH TO BED: 10FT

UTM X UTM Y
616,180.81 4,234,482.14
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: HWY EE TO END, TURN LEFT, 1ST HOUSE

S.W.L. (AFTER CASING): 195



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020991**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

921FT

DRILL DEPTH:

248FT

41N

7W

36

DEPTH TO BED:

5FT

UTM XUTM Y

618,444.79

4,235,077.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

150

LOG ID:**012696**WELL TYPE

Private Well

DRILL DATE:

1954/06/01

TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH:

275FT

41N

8W

26

DEPTH TO BED:

5FT

UTM XUTM Y

606,753.77

4,237,264.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 6 MI W OF BELLE, @ SUMMERFIELD, 0.5 S & 1 MI ES.W.L. (AFTER CASING):

240

LOG ID:**004920**WELL TYPE

Private Well

DRILL DATE:

1938/06/01

TOWNSHIPRANGESECTIONELEVATION:

602FT

DRILL DEPTH:

650FT

41N

8W

28

DEPTH TO BED:

5FT

UTM XUTM Y

602,891.79

4,236,505.02

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: "LOTS OF WATER"; 35' ABOVE RIVER; LONG SECTION, 2500 S &
2800' W SE CS.W.L. (AFTER CASING):

12

LOG ID:**017464**WELL TYPE

Private Well

DRILL DATE:

1958/06/30

TOWNSHIPRANGESECTIONELEVATION:

788FT

DRILL DEPTH:

295FT

41N

8W

32

DEPTH TO BED:

5FT

UTM XUTM Y

602,057.84

4,233,833.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: VERY POOR SAMPLES - DO NOT USES.W.L. (AFTER CASING):

120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016725**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1957/09/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	765FT
<u>DRILL DEPTH:</u>	430FT	41N	8W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				603,294.82	4,235,082.02
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125	<u>REMARKS:</u>	ACROSS RIVER FROM PAYDOWN			

LOG ID:**010418**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/08/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	887FT
<u>DRILL DEPTH:</u>	55FT	41N	9W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				595,061.74	4,238,229.89
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	36	<u>REMARKS:</u>	ON HWY 63, 2.5 MI FROM FREEBERG			

LOG ID:**010780**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	723FT
<u>DRILL DEPTH:</u>	165FT	41N	9W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				597,283.77	4,237,018.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	8 MI SE OF FREEBURG; YIELD 1.5 GPM			

LOG ID:**016724**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	720FT
<u>DRILL DEPTH:</u>	178FT	41N	9W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				597,283.77	4,237,018.92
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	59	<u>REMARKS:</u>	POOR SAMPLES; 1.5 MI N & W OF NEW PAYDOWN SCHOOL			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012695**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1954/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	910FT
<u>DRILL DEPTH:</u>	245FT	41N	9W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				593,829.80	4,235,560.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	N OF VIENNA ON HWY 63, E ON PAYDOWN RD; DRY TO 185'			
<u>S.W.L. (AFTER CASING):</u>	200					

LOG ID:**008084**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	960FT
<u>DRILL DEPTH:</u>	300FT	41N	9W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				593,439.84	4,233,959.81
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	210					

LOG ID:**010885**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/06/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	923FT
<u>DRILL DEPTH:</u>	75FT	41N	10W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	2FT				586,052.75	4,237,878.70
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	27					

LOG ID:**012136**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952/04/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	772FT
<u>DRILL DEPTH:</u>	150FT	41N	10W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				583,974.85	4,233,676.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3.5 MI S OF ARGYLE			
<u>S.W.L. (AFTER CASING):</u>	70					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017470**WELL TYPE

Private Well

DRILL DATE: 1958/08/11TOWNSHIP RANGE SECTIONELEVATION: 750FTDRILL DEPTH: 100FT

41N 10W 34

DEPTH TO BED: 25FTUTM X UTM Y
586,132.81 4,235,103.67
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: DO NOT USES.W.L. (AFTER CASING): 39**LOG ID:****021874**WELL TYPE

Private Well

DRILL DATE: 1963/02/16TOWNSHIP RANGE SECTIONELEVATION: 731FTDRILL DEPTH: 225FT

41N 11W 29

DEPTH TO BED: 35FTUTM X UTM Y
572,204.84 4,235,369.38
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**MARIES**